

ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਲੇ.ਨਿ.ਵਿ. ਨੰ. 2, ਭਤੇਮ ਸ਼ਾਖਾ,
ਮਲੋਟ।

Email id : sde.csd2.mlt.pwd@punjab.gov.in

ਵੱਲ:-

ਪ੍ਰਿੰਸੀਪਲ, ਮੈਥਿਊ ਅਲੈਗਜੈਂਡਰ ਸਕੂਲ,
ਲੰਬੀ, ਤਹਿ. ਮਲੋਟ,
ਜਿਲ੍ਹਾ ਸ੍ਰੀ ਮੁਕਤਸਰ ਸਾਹਿਬ।

ਨੰਬਰ: 209

ਮਿਤੀ: 30/07/2025

ਵਿਸ਼ਾ:-

ਸਕੂਲ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਸਾਲ 2025-26 ਜਾਰੀ ਕਰਨ ਸਬੰਧੀ।

(Valid up to 31.03.2026)

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਸਬੰਧੀ ਆਪ ਦੇ ਸਕੂਲ ਬਿਲਡਿੰਗ ਦਾ ਨਿਰੀਖਣ ਇਸ ਦਫਤਰ ਅਧੀਨ ਕੰਮ ਕਰਦੇ ਜੂਨੀਅਰ ਇੰਜੀਨੀਅਰ ਵੱਲੋਂ ਕੀਤਾ ਗਿਆ ਅਤੇ ਉਹਨਾ ਵੱਲੋਂ ਰਿਪੋਰਟ ਕੀਤੀ ਹੈ ਕਿ ਉਕਤ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਉਸਾ 2009-2012 ਦੌਰਾਨ ਹੋਈ ਹੈ, ਅਤੇ ਉਪਰੋਕਤ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ) ਦਾ ਕੁਲ ਏਰੀਆ 45235 ਸਕੇਅਰ ਫੁੱਟ ਹੈ। ਪ੍ਰੋਫਾਰਮੇ ਦੇ ਕਾਲਮ ਨੰਬਰ 13 ਅਤੇ 14 ਸਬੰਧੀ ਦਫਤਰ ਫਾਇਰ ਸਟੇਸ਼ਨ ਮਲੋਟ ਵੱਲੋਂ NOC-1603-101004-FIRE/85341 ਮਿਤੀ 01/04/2025 ਤੇ ਹਲਫੀਆਂ ਬਿਆਨ ਸਰਟੀਫਿਕੇਟ ਨੰ. PB58449580993868X ਮਿਤੀ 28/07/2025 ਦੇ ਆਧਾਰ ਤੇ ਸਕੂਲ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਮਿਤੀ 31.03.2026 ਤੱਕ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਤੇ ਜਾਰੀ ਕੀਤਾ ਜਾਂਦਾ ਹੈ :-

1. ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਦੀਆਂ ਛੱਤਾਂ ਉਤੇ ਅਤੇ ਆਲੇ ਦੁਆਲੇ ਪਾਣੀ ਖੜ੍ਹਾ ਨਾ ਹੋਣ ਦਿਤਾ ਜਾਵੇ।
2. ਜੇਕਰ ਬਿਲਡਿੰਗ ਦੀ ਕਿਸੇ ਜਗ੍ਹਾ ਤੇ ਤਰੇੜ ਆ ਜਾਂਦੀ ਹੈ ਤਾਂ ਉਸ ਜਗ੍ਹਾ ਨੂੰ ਤੁਰੰਤ ਖਾਲੀ ਕਰਵਾ ਦਿੱਤਾ ਜਾਵੇ ਅਤੇ ਇਸ ਵਿਭਾਗ ਤੇ ਇੰਸਪੈਕਸ਼ਨ ਤੁਰੰਤ ਕਰਵਾਈ ਜਾਵੇ ਅਤੇ ਜਿਸ ਜਗ੍ਹਾ ਤੇ ਕਰੈਕ ਹੁੰਦੇ ਹਨ ਤਾਂ ਉਸ ਜਗ੍ਹਾ ਦੀ ਰਿਪੇਅਰ ਕਰਵਾਈ ਜਾਵੇ।
3. ਬਿਲਡਿੰਗ ਦੀ ਹਰ ਪੱਖੋਂ ਸੇਫਟੀ ਦੀ ਸਾਰੀ ਜਿੰਮੇਵਾਰੀ ਸਕੂਲ ਮੁਖੀ ਦੀ ਹੋਵੇਗੀ। ਅੱਗ ਬਝਾਊ ਯੰਤਰ ਚਾਲੂ ਹਾਲਤ ਵਿੱਚ ਹੋਣੇ ਚਾਹੀਦੇ ਹਨ, ਇਸ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਵਿੱਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਵਾਧਾ ਕਰਨਾ ਹੋਵੇ ਤਾਂ ਇਸ ਨੂੰ ਕੰਪੀਟੈਂਟ ਅਥਾਰਟੀ ਤੋਂ ਪਹਿਲਾਂ ਪਾਸ ਕਰਵਾਇਆ ਜਾਵੇ ਅਤੇ ਇਸ ਦਫਤਰ ਨੂੰ ਸੂਚਨਾ ਭੇਜੀ ਜਾਵੇ।

ਇਸ ਤੋਂ ਇਲਾਵਾ ਸਕੂਲ/ਸੰਸਥਾ ਮੁਖੀ ਨੂੰ ਇਹ ਵੀ ਲਿਖਿਆ ਜਾਂਦਾ ਹੈ ਕਿ ਜੇਕਰ ਇਹਨਾਂ ਸ਼ਰਤਾਂ ਵਿੱਚ ਕਿਸੇ ਸ਼ਰਤ ਦੀ ਉਲੰਘਣਾ ਕੀਤੀ ਜਾਂਦੀ ਹੈ ਕਾ ਉਕਤ ਸਕੂਲ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਤੁਰੰਤ ਪ੍ਰਭਾਵ ਤੋਂ ਰੱਦ ਸਮਝਦਿਆ ਜਾਵੇਗਾ ਅਤੇ ਬਿਲਡਿੰਗ ਸੇਫਟੀ ਸਬੰਧੀ ਇਸ ਵਿਭਾਗ ਦੀ ਕੋਈ ਜਿੰਮੇਵਾਰੀ ਨਹੀਂ ਹੋਵੇਗੀ।

ਇੱਥੇ ਇਹ ਵੀ ਸਪੱਸ਼ਟ ਕੀਤਾ ਜਾਂਦਾ ਹੈ ਕਿ ਇਸ ਪੱਤਰ/ਸੇਫਟੀ ਸਰਟੀਫਿਕੇਟ ਦਾ ਸਕੂਲ ਦੀ ਜਗ੍ਹਾ ਦੀ ਮਲਕੀਅਤ ਨਾਲ ਕੋਈ ਸਬੰਧ ਨਹੀਂ ਹੈ।

ਨੱਥੀ/ਸਰਟੀਫਿਕੇਟ

ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ,
ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ 2, ਭਤੇਮ ਸ਼ਾਖਾ,
ਮਲੋਟ।

ਮਿਤੀ:

ਪਿੱਠ ਅੰਕਣ ਨੰ.

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਉਸਾਰੀ ਮੰਡਲ ਲੋਕ ਨਿਰਮਾਣ ਵਿਭਾਗ ਭਵਨ ਤੇ ਮਾਰਗ ਸ਼ਾਖਾ, ਗਿੱਦੜਬਾਹਾ ਨੂੰ ਆਪ ਜੀ ਦੇ ਦਫਤਰ ਦਾ ਪੱਤਰ ਨੰ. 2735 ਮਿਤੀ 25/07/2025 ਦੇ ਸਬੰਧ ਵਿੱਚ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ। ਇਸ ਸਕੂਲ ਦੀ ਬਿਲਡਿੰਗ ਦਾ ਕੁੱਲਕਵਰਡ ਏਰੀਆ 45235 ਸਕੇਅਰ ਫੁੱਟ ਹੈ ਅਤੇ ਇਸ ਦੀ ਬਣਦੀ ਇੰਨਸਪੈਕਸ਼ਨ ਸਬੰਧਤ ਹੈਡ ਵਿੱਚ ਜਮ੍ਹਾਂ ਕਰਵਾ ਦਿੱਤੇ ਗਏ ਹਨ ਜੀ।

ਉਪ ਮੰਡਲ ਇੰਜੀਨੀਅਰ,
ਉਸਾਰੀ ਉਪ ਮੰਡਲ ਨੰ 2, ਭਤੇਮ ਸ਼ਾਖਾ,
ਮਲੋਟ।

PROFORMA FOR THE SAFETY OF SCHOOL BUILDING PART-I

(To be filled by the Head of School / Institute)

1.	Name of the School	Matthew Alexander School - Lambi
2.	Location	at vill - Lambi on Maan Road Near - Church - Lambi
3.	Plot Area	3 Acres 2 Kenals 8 Marlas or - 143746 Sq ^{UP} ft
4.	Plinth Area	38581 Sqft (G.F) — 101385 Ft (FF)
5.	Number of Storeys	Two Storeys Covered Area GF = 39027 Sqft - 3912 Sqft = 35115 S
6.	Year of Construction of Building	Covered Area FF = 10138 Sqft Total Covered Area = 45235 Sqft
7.	If the building has been constructed under the supervision of the qualified Engineer, the following details my be given :-- Yes:	
a)	Name of the Engineer with qualification	Mr. Gurnail Singh
b)	Address of Engineer.	(Master Degree in Architecture) Gidderbaha - City
c)	Set of structural drawings used in the construction, if available	
d)	Name & Address of architect with qualification.	
8.	Whether the building has been constructed for the purpose.	
a).	School	☒
b).	Residential Purpose and converted for use as a School.	Yes / No ☒
9.	Materials used for roofs	
a)	R.C.C. Slabs / R.B.C. Slabs.	Yes / No ☒
b)	R.S. Joists & Battons.	Yes / No ☒
c)	Wooden joists & Battons.	Yes / No ☒
10.	Materials used for walls.	
a)	Mud Mortar.	Yes / No ☒
b)	Cement Mortar.	Yes / No ☒
c)	Lime Mortar.	Yes ☒
11.	Flooring.	
a)	Conglomerate.	Yes / No ☒
b)	Terrazo.	Yes / No
c)	Brick Paving.	Yes / No ☒
12.	A details drawing indicating dimensions of the rooms alongwith size and location of doors and windows. (Attached)	
13.	FOR FIRE SAFETY. Fire safety Certificate attached	
a)	Whether the width of the staircase is 1.5 mtr.	Yes / No ☒
b)	Whether portable fire extinguisher exists.	Yes ☒
c)	Whether School building is free from inflammable & toxic material	Yes ☒

- d) ✓ Weather cooking of food is done at a safe place. Yes / No
- e) ✓ Weather any Thatch combustible material has been used. Yes / No
- 14 Requirement for Fire Protection Arrangements under NBC-
Part-IV
(For Building height less than 15 metre) Yes / No
- a) ✓ Weather Hose Reel provided. Yes / No
- b) ✓ Weather down comer provided. Yes / No
- c) ✓ Weather Automatic sprinkler provided. Yes / No
- d) ✓ Weather underground static water storage tank of capacity
50,000 Ltr. (if covered area exceeds 1500 sqm.) Yes / No
- e) ✓ Weather over Head tank of capacity 10,000 Ltr. Exists (in case
of hose reel) 20,000 Ltr. Yes / No
- f) ✓ Weather one electric and one diesel pump of capacity pressure
of capacity 1620 LPM exist near underground static tank. Yes / No
- g) ✓ Weather a pump 3 kg/ cm pressure & 450 / 500 LPM exist
near over head tank. Yes / No

Shalinder Singh
Managing Director
Matthew Alexander School
Lambi (Shri Muktsar Sahib)
Signature with Stamp of the
of the School / Institution

PART-II

(To be filled by the S.D.E. of PWD (B&R) Department)

- a) I have visited the above mentioned school on dated 30-7-25 And have visually
inspected it from safety and find it fit for normal use as school buildings.
- b) In case any addition / alteration or expansion and modifications to this buildings is to be
carried out, the same be carried out under the supervision of a qualified Engineer and this
certificate may be reobtained after the completion from the undersigned.
- c) In case the building is affected by flood, or if there is settlement of walls / foundations or
sagging or roofs etc. immediate inspection of the undersigned be arranged to check the
stability and safety of the building.
- d) This building can be safely occupied for normal use upto (indicate upto which it can be used)
31-3-26
Building seems to be safe under normal conditions.

Const. Sub Divn.

Executive Engineer,
Const. Divn. PWD (B&R) Br.
Gidderbaha.

2
Sub Divisional Engineer
Const. Sub Divn. PWD (B&R) Br.
MALOUT. (B&R) Branch